

INDICATORS SUMMARY

Pend Oreille County, WA

2018







Data Center

1101 W. College Ave., Room #356, Spokane, WA 99201 509.323.2853 | TDD 509.324.1464 | srhd.org

Contributors:

Amy Riffe, Research Scientist 2 Steve Smith, Research Scientist 2 Morgan O'Dell, Research Scientist 1 Stacy Wenzl, Program Manager

INDICATORS SUMMARY

OVERVIEW

Pend Oreille County Indicators Summary provides data demonstrating the health status of Pend Oreille County residents and some individual risk behaviors that contribute to health outcomes. The indicators in this report are used to monitor the population's health and are updated as new data becomes available.

Pend Oreille County Indicators Summary demonstrates changes within Pend Oreille County over time and, when available, make comparisons between Pend Oreille County, Washington State, and the United States. Additionally, lower socioeconomic status is often associated with poorer health outcomes. When available and appropriate, health indicators were analyzed by age, sex, race, education, and income to identify disparities.

The information in this document provides the community and local agencies information on health issues and affected populations. The information may help direct health and social interventions to areas of greatest need and build support for health policies, as well as educate the public, community organizations, and policymakers on the community's health and well-being.

Up-to-date data, reports, and other information can be found at countyhealthinsights.org/county/pend-oreille.

	PRESCHOOL IMMUNIZATION	16.0
NS	BULLIED (YOUTH)	16.0
<u> </u>	WELL WATER	15.0
୍ [MATERNAL SMOKING	15.0
<u> </u>	PHYSICAL ACTIVITY (ADULT)	15.0
X Z	DEPRESSION (YOUTH)	15.0
	OBESITY (ADULT)	15.0
ΙŽ	TOOTH LOSS (ADULT)	15.0
HIGH SCORE or	FLU SHOT (ADULT)	15.0
┷₩	SCHOOL AGE IMMUNIZATION	15.0
<u> </u>	CHILD ABUSE	15.0
ž	DEATHS	15.0
	YEARS POTENTIAL LIFE LOST AGE 65	15.0
	DENTAL CHECK-UP	14.0
	INSURED (ADULT)	14.0
	GENERAL HEALTH (ADULT)	14.0
	OVERWEIGHT (YOUTH)	14.0
	INFANT MORTALITY	14.0
	BINGE DRINKING (ADULT)	13.0
	MARIJUANA USE (YOUTH)	13.0
	PHYSICAL ACTIVITY (YOUTH)	13.0
	SMOKERS (ADULT)	13.0
	MAMMOGRAM	13.0
ų.	SIGMOIDOSCOPY/ COLONOSCOPY	13.0
O	ASTHMA (YOUTH)	13.0
SC	CHILDHOOD DISABILITY	13.0
	DIABETES (ADULT)	13.0
7	FOOD INSECURITY (YOUTH)	13.0
S E	TEEN IMMUNIZATION	13.0
R.	FALLS	13.0
F	UNINTENTIONAL INJURY	13.0
=	BINGE DRINKING (YOUTH)	12.0
	BREASTFEEDING	12.0
	FRUIT AND VEGETABLE INTAKE	12.0
	(YOUTH)	
	ILLICIT DRUG USE (YOUTH)	12.0
	CANCER	12.0
	POOR MENTAL HEALTH (ADULT)	12.0
	SERIOUS MENTAL ILLNESS	12.0
	STROKE (ADULT)	12.0
	LOW BIRTH WEIGHT	12.0
	PHYSICAL ABUSE (YOUTH)	12.0
	PREGNANCY	11.0
	PRETERM BIRTH	11.0
40	LIFE EXPECTANCY DOMESTIC VIOLENCE	11.0 10.0
m G S		
LOW SCORE or MEETING XPECTATION	FOOD AND WATERBORNE DISEASE	10.0
SE TA	SMOKERS (YOUTH)	10.0
S E G	PERSONAL DOCTOR (ADULT)	10.0
7 9 2	DRUG RESISTANT INFECTION	10.0
	SUICIDE	10.0
	ABORTION SEVERALLY TRANSMITTED INFECTIONS	10.0
	SEXUALLY TRANSMITTED INFECTIONS	
	VACCINE PREVENTABLE DISEASES	6.0

3

F	NI	/IF	2	N	NЛ	FI	NT	ΔΙ	

HEALTH BEHAVIOR

Binge drinking (youth) Percent of youth who had 5+ drinks in a row in the last 2 weeks.

Breastfeeding Percent of births where the mother initiated breastfeeding.

Fruit and vegetable intake (youth) Percent of youth who ate fruit and vegetables 5+ times per day.

Illicit drug use (youth) Percent of youth who used illicit drugs in the last 30 days.

Marijuana use (youth)......Percent of youth in grades 6, 8, 10, and 12 who have used marijuana one or more times in the last 30 days.

Maternal smoking Percent of births where the mother smoked during pregnancy.

Physical activity (youth)...... Percent of youth physically active 60 min/day on 5+ days per week.

Smokers (adult) Percent of adults who smoke cigarettes.

Smokers (youth) Percent of youth who smoke cigarettes.

HEALTH CARE

HEALTH STATUS

Asthma (youth)...... Percent of youth who currently have asthma.

Cancer Incidence of new cases of cancer.

Childhood disability...... Percent of children with a disability.

Food insecurity (youth) Percent of youth who had to skip or cut the size of a meal in the last year.

General health (adult) Percent of adults reporting their general health status as excellent or very good.

Overweight (youth) Percent of youth that are overweight or obese.

Poor mental health (adult) Percent of adults with 14+ days of poor mental health in the last 30 days.

Serious mental illness...... Percent of adults who scored 10 or more on the Kessler 6 questions to identify serious mental

illness.

Stroke (adult)...... Percent of adults that ever had a stroke.

INFECTIOUS DISEASE

Drug resistant infection	Rate of inpatient hospitalizations with infection with drug-resistant microorganisms (V09 and MRSA, diag 1-9).
Flu shot (adult)	Percent of adults who received a flu immunization in the last 12 months.
Preschool immunization	Percent of children 19-35 months of age with complete vaccination records on file in the Child Profile Immunization Registry (4-DTP, 3-Polio, 1-MMR, 3-Hib, 3-HepB, 1-Varicella, 4-PCV).
School age immunization	Vaccination personal exemption rate among school age children.
Sexually transmitted diseases	Rate of reported cases of chlamydia, gonorrhea, syphilis, and human immunodeficiency virus.
Teen immunization	Percent of youth 13-17 years of age with complete vaccination records on file in the WA Immunization Information System (WAIIS) (1-Tdap, 1-MCV, 1-HPV).
Vaccine preventable diseases	Rate of cases of haemophilus influenza, acute hepatitis A, acute hepatitis B, measles, mumps, pertussis, rubella, tetanus, and meningococcal disease.

INJURY AND VIOLENCE

Bullied (youth)	Percent of youth that have been bullied in the last 30 days.
Child abuse	Rate of accepted CPS referrals for abuse or neglect among children 0-17 years of age.
Domestic violence	Rate of DV offenses reported to law enforcement.
Falls	Rate of hospitalizations for a fall.
Physical abuse (youth)	Percent of youth who report an adult ever physically hurt them on purpose (like pushed, slapped, hit, kicked or punched you), leaving a mark, bruise or injury.
Suicide	Rate of deaths from suicide.
Unintentional injury	Rate of unintentional injury hospitalizations.

REPRODUCTIVE HEALTH

Abortion	. Percent of pregnancies that are terminated by an induced abortion.
Low birth weight	. Percent of births with a birth weight <2500g.
Pregnancy	. Rate of births, abortions, and fetal deaths.
Preterm birth	. Percent of births with an estimated gestation age <37 weeks.

SUMMARY MEASURES OF HEALTH


Deaths	Rate of deaths from all causes.
Life expectancy	Number of years an individual is expected to live from birth.
Years Potential Life Lost Age 65	Number of years of potential life lost due to death before age 65 years.

	Measure	Trend score	State score	National score	HP 2020 score	Disparities score	Magnitude score	Total score (missing = 2)
Environmental								
Food & Waterborne Disease	52.7 per 100,000	1	2			2	1	10.0
Well Water	68%	2	3				4	15.0
Health Behavior								
Binge Drinking (Adult)	15%	2	2	2	2	2	3	13.0
Binge Drinking (Youth)	8%	1	2		3	2	2	12.0
Breastfeeding	90%	2	3	1	1	1	4	12.0
Fruit & Vegetable Intake (Youth)	24%	1	2			2	3	12.0
Illicit Drug Use (Youth)	7%	1	2		3	2	2	12.0
Marijuana Use (Youth)	10%	2	2			2	3	13.0
Maternal Smoking	18%	2	3		3	2	3	15.0
Physical Activity (Adult)	58%	2	2		2	3	4	15.0
Physical Activity (Youth)	69%	2	1			2	4	13.0
Smokers (Adult)	12%	2	2	2	2	2	3	13.0
Smokers (Youth)	5%	1	2		1	2	2	10.0
Health Care								
Dental Check-up	57%	2	2	2	2	2	4	14.0
Insured (Adult)	91%	2	2	2	2	2	4	14.0
Mammogram	61%	2	2			1	4	13.0
Personal Doctor (Adult)	87%	2	1	1	1	1	4	10.0
Sigmoidoscopy/ Colonoscopy	69%	2	2	2	2	1	4	13.0
Health Status								
Asthma (Youth)	12%	2	2			2	3	13.0
Cancer	506.0 per 100,000	2	3	2		2	1	12.0
Childhood Disability	4%		2	2		3	2	13.0
Depression (Youth)	35%	2	2		3	2	4	15.0
Diabetes (Adult)	12%	2	2	2	2	2	3	13.0
Food Insecurity (Youth)	13%	1	2		3	2	3	13.0
General Health (Adult)	53%	2	2	2		2	4	14.0
Obesity (Adult)	40%	3	3	2	2	1	4	15.0
Overweight (Youth)	34%	2	2		3	1	4	14.0
Poor Mental Health (Adult)	7%	2	2			2	2	12.0
Serious Mental Illness	1%	2	2			2	2	12.0
Tooth Loss (Adult)	25%	2	3				4	15.0
Stroke (Adult)	3%	2	2	2		2	2	12.0

INDICATORS SUMMARY

	Measure	Trend score	State score	National score	HP 2020 score	Disparities score	Magnitude score	Total score (missing = 2)
Infectious Disease								
Drug-Resistant Infection	80.1 per 100,000	2	2			1	1	10.0
Flu Shot (Adult)	38%	2	2		3	2	4	15.0
Preschool Immunization	31%	2	3		3		4	16.0
School-Age Immunization Exemption	13%	3	3				3	15.0
Sexually Transmitted Infections	210.7 per 100,000	2	1	1		2	1	9.0
Teen Immunization	11%	1	3				3	13.0
Vaccine-Preventable Diseases	0.0 per 100,000	1	1	1		1	0	6.0
Injury & Violence								
Bullied (Youth)	31%	2	3		3	2	4	16.0
Child Abuse	71.2 per 1,000	2	3	3	3		2	15.0
Domestic Violence	9.4 per 1,000	1	2				1	10.0
Falls	464.4 per 100,000	2	3			3	1	13.0
Physical Abuse (Youth)	23%	2	2			1	3	12.0
Suicide	12.6 per 100,000	2	2	2	2	1	1	10.0
Unintentional Injury	824.7 per 100,000	2	3		3	2	1	13.0
Reproductive Health								
Abortion	9%	2	1			1	2	10.0
Low Birth Weight	6%	2	2	2	2	1	2	11.0
Pregnancy	72.1 per 1,000	2	2			2	1	11.0
Preterm Birth	8%	2	3	1	1	2	2	11.0
Summary Measures								
Deaths	1,166.3 per 100,000	2	3	3		3	2	15.0
Infant Mortality	16.8 per 1,000	2	3	3	3		1	14.0
Life Expectancy	78.8		2	2		1		11.0
Years Potential Life Lost Age 65	4,646.0		3	3		3		15.0

Кеу					
High Score or Not Meeting	ng Expectations	Intermediate So	core Low Sco	re or Meeting Exp	ectations
Trend	(1) getting better	(2) no change	(3) getting worse		
Compared to WA	(1) POC better	(2) same	(3) POC worse		
Compared to US	(1) POC better	(2) same	(3) POC worse		
Compared to HP 2020	(1) POC better	(2) same	(3) POC worse		
Disparities (out of available demographic categories)	(1) none	(2) up to half	(3) more than half		
Magnitude (total population impacted)	(0) <0.01% (1/10,000)	(1) 0.01%-0.9%	(2) 1%-9.9%	(3) 10%-24.9%	(4) >25%





Data Center 1101 W. College Ave., Room #356, Spokane, WA 99201 509.323.2853 | TDD 509.324.1464 | srhd.org

Photo Credits

Cover: Ione Bridge (Pend Oreille County, Wash.) | CMH

Page 2: Newport City Hall (Pend Oreille County, Wash.) | CMH

Back Cover: Metaline Falls Bridge (Pend Oreille County, Wash.) | CMH