


INDICATORS SUMMARY

Pend Oreille County, WA

2022





Data Center

1101 W. College Ave., Room #360, Spokane, WA 99201
509.323.2853 | srhd.org

Author:

Morgan Rosengrant, Research Scientist 2

October 2022

OVERVIEW

Pend Oreille County Indicators Summary provides data demonstrating the health status of Pend Oreille County residents and some individual risk behaviors that contribute to health outcomes. The indicators in this report are used to monitor the population’s health and are updated as new data becomes available.

Pend Oreille County Indicators Summary demonstrates changes within Pend Oreille County over time and, when available, make comparisons between Pend Oreille County, Washington State, and the United States. Additionally, lower socioeconomic status is often associated with poorer health outcomes. When available and appropriate, health indicators were analyzed by age, sex, race, education, and income to identify disparities.

The information in this document provides the community and local agencies information on health issues and affected populations. The information may help direct health and social interventions to areas of greatest need and build support for health policies, as well as educate the public, community organizations, and policymakers on the community’s health and well-being.

Up-to-date data, reports, and other information can be found at countyhealthinsights.org/county/Pend-Oreille.

| High score or not meeting expectations | | |
|--|------------------------------------|----|
| | FLU SHOT (ADULT) | 14 |
| | PRESCHOOL IMMUNIZATION | 14 |
| | BULLIED (YOUTH) | 13 |
| | DEPRESSION (YOUTH) | 13 |
| | MAMMOGRAM | 13 |
| | SIGMOIDOSCOPY/ COLONOSCOPY | 13 |
| Intermediate score | BINGE DRINKING (YOUTH) | 12 |
| | DIABETES (ADULT) | 12 |
| | ILLICIT DRUG USE (YOUTH) | 12 |
| | OVERWEIGHT (YOUTH) | 12 |
| | PERSONAL DOCTOR (ADULT) | 12 |
| | PHYSICAL ABUSE (YOUTH) | 12 |
| | SMOKERS (ADULT) | 12 |
| | TEEN IMMUNIZATION | 12 |
| | TOOTH LOSS (ADULT) | 12 |
| | VAPING (YOUTH) | 12 |
| | WELL WATER | 12 |
| | BREASTFEEDING | 11 |
| | CHILDHOOD DISABILITY | 11 |
| | DENTAL CHECK-UP | 11 |
| | GENERAL HEALTH (ADULT) | 11 |
| | MATERNAL SMOKING | 11 |
| | OBESITY (ADULT) | 11 |
| | PHYSICAL ACTIVITY (ADULT) | 11 |
| | POOR MENTAL HEALTH (ADULT) | 11 |
| | YEARS POTENTIAL LIFE LOST AGE 65 | 11 |
| | BINGE DRINKING (ADULT) | 10 |
| | CHILD ABUSE | 10 |
| | DEATHS | 10 |
| | FRUIT AND VEGETABLE INTAKE (YOUTH) | 10 |
| | INSURED (ADULT) | 10 |
| | LIFE EXPECTANCY | 10 |
| | LOW BIRTH WEIGHT | 10 |
| | MARIJUANA USE (YOUTH) | 10 |
| PHYSICAL ACTIVITY (YOUTH) | 10 | |
| SCHOOL AGE IMMUNIZATION | 10 | |
| SERIOUS MENTAL ILLNESS | 10 | |
| SMOKERS (YOUTH) | 10 | |
| STROKE (ADULT) | 10 | |
| Low score or meeting expectations | ABORTION | 9 |
| | FOOD INSECURITY (YOUTH) | 9 |
| | PREGNANCY | 9 |
| | SUICIDE | 9 |
| | ASTHMA (YOUTH) | 8 |
| | CANCER | 8 |
| | DOMESTIC VIOLENCE | 7 |
| | DRUG RESISTANT INFECTION | 7 |
| | FALLS | 7 |
| | FOOD AND WATERBORNE DISEASE | 7 |
| | PRETERM BIRTH | 7 |
| | SEXUALLY TRANSMITTED INFECTIONS | 7 |
| | UNINTENTIONAL INJURY | 7 |
| VACCINE PREVENTABLE DISEASES | 7 | |

ENVIRONMENTAL

| | |
|-----------------------------------|--|
| Food and waterborne disease | Disease rate for campylobacteriosis, E. coli, giardiasis, listeriosis, salmonellosis, and shigellosis. |
| Well water | Proportion of population using a private water system. |

HEALTH BEHAVIOR

| | |
|--|--|
| Binge drinking (adult) | Percent of adults who binge drank in the last 30 days (5+ for men, 4+ for women). |
| Binge drinking (youth) | Percent of youth who had 5+ drinks in a row in the last 2 weeks. |
| Breastfeeding | Percent of births where the mother initiated breastfeeding. |
| Fruit and vegetable intake (youth) | Percent of youth who ate fruit and vegetables 5+ times per day. |
| Illicit drug use (youth) | Percent of youth who used illicit drugs in the last 30 days. |
| Marijuana use (youth) | Percent of youth in grades 6, 8, 10, and 12 who have used marijuana one or more times in the last 30 days. |
| Maternal smoking | Percent of births where the mother smoked during pregnancy. |
| Physical activity (adult) | Percent of adults doing 150 minutes or more of physical activity per week. |
| Physical activity (youth) | Percent of youth physically active 60 min/day on 5+ days per week. |
| Smokers (adult) | Percent of adults who smoke cigarettes. |
| Smokers (youth) | Percent of youth who smoke cigarettes. |
| Vaping (youth) | Percent of youth who used an e-cigarette or vape pen in the last 30 days. |

HEALTH CARE

| | |
|---------------------------------|--|
| Dental check-up | Percent of adults who visited the dentist in the last 12 months. |
| Insured (adult) | Percent of residents currently with medical insurance. |
| Mammogram | Percent of women 40 years of age or older who have had a mammogram in the last year. |
| Personal doctor (adult) | Percent of adults with a personal doctor or healthcare provider. |
| Sigmoidoscopy/colonoscopy | Percent of adults 50+ years of age who have ever had a colonoscopy or sigmoidoscopy. |

HEALTH STATUS

| | |
|----------------------------------|---|
| Asthma (youth) | Percent of youth who currently have asthma. |
| Cancer | Incidence of new cases of cancer. |
| Childhood disability | Percent of children with a disability. |
| Depression (youth) | Percent of youth who felt so sad or hopeless almost every day for 2 weeks or more in a row, that they stopped doing some of their usual activities. |
| Diabetes (adult) | Percent of adults who have been diagnosed with diabetes. |
| Food insecurity (youth) | Percent of youth who had to skip or cut the size of a meal in the last year. |
| General health (adult) | Percent of adults reporting their general health status as excellent or very good. |
| Obesity (adult) | Percent of adults with a BMI=30+. |
| Overweight (youth) | Percent of youth that are overweight or obese. |
| Poor mental health (adult) | Percent of adults with 14+ days of poor mental health in the last 30 days. |
| Serious mental illness | Percent of adults who scored 10 or more on the Kessler 6 questions to identify serious mental illness. |
| Stroke (adult) | Percent of adults that ever had a stroke. |
| Toothloss (adult) | percent of adults missing 6+ teeth due to decay. |

INFECTIOUS DISEASE

| | |
|------------------------------------|--|
| Drug resistant infection | Rate of inpatient hospitalizations with infection with drug-resistant microorganisms (V09 and MRSA, diag 1-9). |
| Flu shot (adult) | Percent of adults who received a flu immunization in the last 12 months. |
| Preschool immunization | Percent of children 19-35 months of age with complete vaccination records on file in the Child Profile Immunization Registry (4-DTP, 3-Polio, 1-MMR, 3-Hib, 3-HepB, 1-Varicella, 4-PCV). |
| School age immunization | Vaccination personal exemption rate among school age children. |
| Sexually transmitted diseases..... | Rate of reported cases of chlamydia, gonorrhea, syphilis, and human immunodeficiency virus. |
| Teen immunization | Percent of youth 13-17 years of age with complete vaccination records on file in the WA Immunization Information System (WAIIS) (1-Tdap, 1-MCV, 1-HPV). |
| Vaccine preventable diseases..... | Rate of cases of haemophilus influenza, acute hepatitis A, acute hepatitis B, measles, mumps, pertussis, rubella, tetanus, and meningococcal disease. |

INJURY AND VIOLENCE

| | |
|-----------------------------|---|
| Bullied (youth) | Percent of youth that have been bullied in the last 30 days. |
| Child abuse | Rate of accepted CPS referrals for abuse or neglect among children 0-17 years of age. |
| Domestic violence | Rate of DV offenses reported to law enforcement. |
| Falls..... | Rate of hospitalizations for a fall. |
| Physical abuse (youth)..... | Percent of youth who report an adult ever physically hurt them on purpose (like pushed, slapped, hit, kicked or punched you), leaving a mark, bruise or injury. |
| Suicide | Rate of deaths from suicide. |
| Unintentional injury | Rate of unintentional injury hospitalizations. |

REPRODUCTIVE HEALTH

| | |
|------------------------|--|
| Abortion | Percent of pregnancies that are terminated by an induced abortion. |
| Low birth weight | Percent of births with a birth weight <2500g. |
| Pregnancy..... | Rate of births, abortions, and fetal deaths. |
| Preterm birth..... | Percent of births with an estimated gestation age <37 weeks. |

SUMMARY MEASURES OF HEALTH

| | |
|--|--|
| Deaths | Rate of deaths from all causes. |
| Life expectancy | Number of years an individual is expected to live from birth. |
| Years Potential Life Lost Age 65 | Number of years of potential life lost due to death before age 65 years. |

| | Measure | Trend score | State score | HP 2030 score | Disparities score | Magnitude score | Total score (missing = 2) |
|------------------------------------|-------------------|-------------|-------------|---------------|-------------------|-----------------|------------------------------|
| Environmental | | | | | | | |
| Food & Waterborne Disease | 29.1 per 100,000 | 2 | 2 | | 1 | 0 | 7 |
| Well Water | 72% | | | | | 4 | 12 |
| Health Behavior | | | | | | | |
| Binge Drinking (Adult) | 10% | 2 | 2 | 1 | 2 | 3 | 10 |
| Binge Drinking (Youth) | 9% | 2 | 3 | 3 | 2 | 2 | 12 |
| Breastfeeding | 96% | 2 | 2 | 1 | 2 | 4 | 11 |
| Fruit And Vegetable Intake (Youth) | 20% | 2 | 2 | | 1 | 3 | 10 |
| Illicit Drug Use (Youth) | 10% | 2 | 3 | 3 | 1 | 3 | 12 |
| Marijuana Use (Youth) | 9% | 2 | 3 | | 1 | 2 | 10 |
| Maternal Smoking | 9% | 2 | 3 | 3 | 1 | 2 | 11 |
| Physical Activity (Adult) | 64% | 2 | 2 | 1 | 2 | 4 | 11 |
| Physical Activity (Youth) | 66% | 2 | 1 | | 1 | 4 | 10 |
| Smokers (Adult) | 19% | 2 | 2 | 3 | 2 | 3 | 12 |
| Smokers (Youth) | 4% | 2 | 3 | 1 | 2 | 2 | 10 |
| Vaping (Youth) | 13% | 2 | 3 | | 2 | 3 | 12 |
| Health Care | | | | | | | |
| Dental Check-Up | 59% | 2 | 2 | 1 | 2 | 4 | 11 |
| Insured (Adult) | 95% | 2 | 2 | 1 | 1 | 4 | 10 |
| Mammogram | 36% | 2 | 2 | 3 | | 4 | 13 |
| Personal Doctor (Adult) | 85% | 2 | 2 | | 2 | 4 | 12 |
| Sigmoidoscopy/Colonoscopy | 64% | 2 | 2 | 3 | 2 | 4 | 13 |
| Health Status | | | | | | | |
| Asthma (Youth) | 9% | 1 | | 2 | 1 | 2 | 8 |
| Cancer | 480.4 per 100,000 | 2 | | 2 | 2 | 0 | 8 |
| Childhood Disability | 4% | 2 | | 3 | 2 | 2 | 11 |
| Depression (Youth) | 44% | 3 | | 2 | 2 | 4 | 13 |
| Diabetes (Adult) | 11% | 2 | 3 | 2 | 2 | 3 | 12 |
| Food Insecurity (Youth) | 7% | 1 | 3 | 2 | 1 | 2 | 9 |
| General Health (Adult) | 46% | 2 | | 2 | 1 | 4 | 11 |
| Obesity (Adult) | 29% | 2 | 1 | 2 | 2 | 4 | 11 |
| Overweight (Youth) | 37% | 2 | 3 | 2 | 1 | 4 | 12 |
| Poor Mental Health (Adult) | 12% | 2 | | 2 | 2 | 3 | 11 |
| Serious Mental Illness | 3% | 2 | | 2 | 2 | 2 | 10 |
| Stroke (Adult) | 8% | 2 | | 3 | 1 | 2 | 10 |
| Tooth Loss (Adult) | 22% | 2 | | 3 | | 3 | 12 |

INDICATORS SUMMARY

| | Measure | Trend score | State score | HP 2030 score | Disparities score | Magnitude score | Total score <i>(missing = 2)</i> |
|-----------------------------------|-------------------|-------------|-------------|---------------|-------------------|-----------------|-------------------------------------|
| Infectious Disease | | | | | | | |
| Drug Resistant Infection | 36.2 per 100,000 | 2 | 2 | | 1 | 0 | 7 |
| Flu Shot (Adult) | 43% | 2 | 3 | 3 | 2 | 4 | 14 |
| Preschool Immunization | 35% | 2 | 3 | 3 | | 4 | 14 |
| School-Age Immunization Exemption | 6% | 1 | 3 | | | 2 | 10 |
| Sexually Transmitted Infections | 223.8 per 100,000 | 2 | 1 | | 2 | 0 | 7 |
| Teen Immunization | 26% | 1 | 3 | | | 4 | 12 |
| Vaccine Preventable Diseases | 21.8 per 100,000 | 2 | 2 | | 1 | 0 | 7 |
| Injury & Violence | | | | | | | |
| Bullied (Youth) | 32% | 2 | 3 | | 2 | 4 | 13 |
| Child Abuse | 55.9 per 100,000 | 2 | 3 | 3 | | 0 | 10 |
| Domestic Violence | 7.3 per 100,000 | 1 | 2 | | | 0 | 7 |
| Falls | 397.1 per 100,000 | 1 | 2 | | 2 | 0 | 7 |
| Physical Abuse (Youth) | 27% | 2 | 3 | | 1 | 4 | 12 |
| Suicide | 24.3 per 100,000 | 2 | 2 | 3 | | 0 | 9 |
| Unintentional Injury | 635.4 per 100,000 | 1 | 2 | | 2 | 0 | 7 |
| Reproductive Health | | | | | | | |
| Abortion | 9% | 2 | 2 | | 1 | 2 | 9 |
| Low Birth Weight | 5% | 2 | 2 | | | 2 | 10 |
| Pregnancy | 68 per 1,000 | 2 | 2 | | 2 | 1 | 9 |
| Preterm Birth | 8% | 2 | 1 | 1 | 1 | 2 | 7 |
| Summary Measures | | | | | | | |
| Deaths | 1,278 per 100,000 | 2 | 3 | | 2 | 1 | 10 |
| Life Expectancy | 79.1 Years | | 2 | | 2 | | 10 |
| Years Potential Life Lost Age 65 | 9,171 Years | | 3 | | 2 | | 11 |

Key

High Score or Not Meeting Expectations
 Intermediate Score
 Low Score or Meeting Expectations

| | | | | | |
|---|-----------------------|----------------|--------------------|---------------|----------|
| Trend | (1) getting better | (2) no change | (3) getting worse | | |
| Compared to WA | (1) POC better | (2) same | (3) POC worse | | |
| Compared to HP 2030 | (1) POC better | (2) same | (3) POC worse | | |
| Disparities <i>(out of available demographic categories)</i> | (1) none | (2) up to half | (3) more than half | | |
| Magnitude <i>(total population impacted)</i> | (0) <0.01% (1/10,000) | (1) 0.01%-0.9% | (2) 1%-9.9% | (3) 10%-24.9% | (4) >25% |



Data Center

1101 W. College Ave., Room #360, Spokane, WA 99201
509.323.2853 | srhd.org

Photo Credits

Cover: Boundary Dam (Pend Oreille County, Wash.) | [iStock.com/4nadia](https://www.istock.com/4nadia)
Boundary Dam is a concrete arch gravity-type hydroelectric dam on the Pend Oreille River, in the U.S. state of Washington. The dam is located in the northeast corner of Washington state, just south of the border with British Columbia, Canada

Page 2: Newport City Hall (Pend Oreille County, Wash.) | [CMH](https://www.cmh.com)

Back Cover: Crawford State Park (Pend Oreille County, Wash.) | [iStock.com/JoanBudai](https://www.istock.com/JoanBudai)
Stalactites and rimstone pools make interesting formations in underground caves in Crawford State Park in NE Washington.

